

Grade Reporter Reference Manual

Generated by Doxygen 1.3.9.1

Mon Jan 24 19:48:54 2005

Contents

1	Grade Reporter Namespace Index	1
1.1	Grade Reporter Namespace List	1
2	Grade Reporter File Index	3
2.1	Grade Reporter File List	3
3	Grade Reporter Namespace Documentation	5
3.1	gradereporter Namespace Reference	5
4	Grade Reporter File Documentation	7
4.1	common.cp File Reference	7
4.2	common.h File Reference	9
4.3	gradereport.cp File Reference	11
4.4	gradereport.h File Reference	16
4.5	histograph.cp File Reference	18
4.6	histograph.h File Reference	23
4.7	main.cp File Reference	25

Chapter 1

Grade Reporter Namespace Index

1.1 Grade Reporter Namespace List

Here is a list of all namespaces with brief descriptions:

gradereporter 5

Chapter 2

Grade Reporter File Index

2.1 Grade Reporter File List

Here is a list of all files with brief descriptions:

common.cp (Methods common to both GradeReportPage() (p. 5) and HistogramPage() (p. 5))	7
common.h (Methods to handle the data file used in both GradeReportPage() (p. 5) and HistogramPage() (p. 5))	9
gradereport.cp	11
gradereport.h (Methods to provide a page with grade report information)	16
histograph.cp (Methods to handle generation of a histogram based on grade information)	18
histograph.h (Methods to handle generation of a histogram based on grade information)	23
main.cp	25

Chapter 3

Grade Reporter Namespace Documentation

3.1 gradereporter Namespace Reference

Functions

- `std::vector< std::string > LineToVector (std::ifstream *inDataStream)`
reads a line and splits it at tab characters
- `std::string StripDash (const std::string &inString)`
strips dashes off the beginning and ends of the string
- `std::string GradeReportPage ()`
- `std::string HistogramPage ()`

3.1.1 Function Documentation

3.1.1.1 `std::string GradeReportPage ()`

Referenced by `main()`.

3.1.1.2 `std::string HistogramPage ()`

Referenced by `main()`.

3.1.1.3 `std::vector<std::string> LineToVector (std::ifstream * inDataStream)`

reads a line and splits it at tab characters

3.1.1.4 `std::string StripDash (const std::string & inString)`

strips dashes off the beginning and ends of the string

Referenced by `GenerateReply()`, and `GenerateTable()`.

Chapter 4


Grade Reporter File Documentation

4.1 common.cp File Reference

Methods common to both `GradeReportPage()`(p. 5) and `HistogramPage()`(p. 5).

```
#include "common.h"  
#include <string>  
#include <vector>  
#include <fstream>  
#include <sstream>
```

Include dependency graph for common.cp:



Defines

- `#define GR gradereporter`

making things easier to read while keeping doxygen informed

4.1.1 Detailed Description

Methods common to both `GradeReportPage()`(p. 5) and `HistogramPage()`(p. 5).

Author

eeyore

Date

2004/03/04 02:53:24

Copyright (c) 2004 eeyore@monsterworks.com This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation version 2.

This program is distributed in the hope that it will be found useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GPL in the documentation or read the source of MonsterworksCopyright.h.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston MA 02111-1307 USA.

Definition in file `common.cp`.

4.1.2 Define Documentation

4.1.2.1 `#define GR gradereporter`

making things easier to read while keeping doxygen informed

Definition at line 24 of file `common.cp`.

4.2 common.h File Reference

Methods to handle the data file used in both `GradeReportPage()`(p. 5) and `HistogramPage()`(p. 5).


```
#include <MonsterworksCopyright.h>
```

```
#include <string>
```


```
#include <vector>
```

```
#include <fstream>
```

Include dependency graph for common.h:



This graph shows which files directly or indirectly include this file:



Namespaces

- namespace `gradereporter`

Functions

- `std::vector< std::string > LineToVector (std::ifstream *inDataStream)`
reads a line and splits it at tab characters
- `std::string StripDash (const std::string &inString)`
strips dashes off the beginning and ends of the string

4.2.1 Detailed Description

Methods to handle the data file used in both `GradeReportPage()`(p. 5) and `HistogramPage()`(p. 5).

Author

eeyore

Date

2004/03/06 04:18:11

Copyright (c) 2004 eeyore@monsterworks.com This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation version 2.

This program is distributed in the hope that it will be found useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GPL in the documentation or read the source of MonsterworksCopyright.h.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston MA 02111-1307 USA.

Definition in file `common.h`.

4.2.2 Function Documentation

4.2.2.1 `std::vector<std::string> LineToVector (std::ifstream * inDataStream)`

reads a line and splits it at tab characters

4.2.2.2 `std::string StripDash (const std::string & inString)`


strips dashes off the beginning and ends of the string

Referenced by `GenerateReply()`, and `GenerateTable()`.

4.3 gradereport.cp File Reference

```
#include "gradereport.h"  
#include "common.h"  
#include <XCGI.h>  
#include <NWWWCodec.h>  
#include <NEnvironment.h>  
#include <NForm.h>  
#include <NHTMLWriter.h>  
#include <string>  
#include <vector>  
#include <limits>  
#include <sstream>  
#include <fstream>  
#include <iostream>
```

Include dependency graph for gradereport.cp:



Defines

- `#define MW_CGI monsterworks::cgi`
keeping names short and doxygen informed
- `#define GR gradereporter`
keeping names short and doxygen informed

Functions

- string **MungeLogin** (const string &inLogin)
munges the login to handle capitalization and non-alphanumeric characters
- string **MungePassword** (const string &inPass)
munges the password to handle capitalization and non-alphanumeric characters
- string **GenerateReply** (int inStart, const vector< string > &inHeaders, const vector< string > &inData, const string &inContact)

generates the HTML reply once the information has been gathered

- string **GenerateTable** (unsigned int *ioStartP, const vector< string > &inHeaders, const vector< string > &inData)

generates a table of grades

- string **MungeLogin** (const string &inLogin)
- string **MungePassword** (const string &inPassword)
- string **GenerateReply** (int inStart, const vector< string > &inHeaders, const vector< string > &inData, const string &inContact)
- string **GenerateTable** (unsigned int *ioStartP, const vector< string > &inHeaders, const vector< string > &inData)

Variables

- const bool **kShowData** = false

if set to true, trace information will be returned in the HTML page

4.3.1 Define Documentation

4.3.1.1 #define GR gradereporter

keeping names short and doxygen informed

Definition at line 26 of file gradereport.cp.

4.3.1.2 #define MW_CGI monsterworks::cgi

keeping names short and doxygen informed

Definition at line 24 of file gradereport.cp.

4.3.2 Function Documentation

- #### 4.3.2.1 string GenerateReply (int *inStart*, const vector< string > & *inHeaders*, const vector< string > & *inData*, const string & *inContact*) [static]

Definition at line 280 of file gradereport.cp.

References GenerateTable(), and gradereporter::StripDash().

4.3.2.2 `string GenerateReply (int inStart, const vector< string > & inHeaders, const vector< string > & inData, const string & inContact)` [static]

generates the HTML reply once the information has been gathered

4.3.2.3 `string GenerateTable (unsigned int * ioStartP, const vector< string > & inHeaders, const vector< string > & inData)` [static]

Definition at line 329 of file gradereport.cp.

References gradereporter::StripDash().

Referenced by GenerateReply().

4.3.2.4 `string GenerateTable (unsigned int * ioStartP, const vector< string > & inHeaders, const vector< string > & inData)` [static]

generates a table of grades

4.3.2.5 `string MungeLogin (const string & inLogin)` [static]

Definition at line 238 of file gradereport.cp.

4.3.2.6 `string MungeLogin (const string & inLogin)` [static]

munges the login to handle capitalization and non-alphanumeric characters

4.3.2.7 `string MungePassword (const string & inPassword)` [static]

Definition at line 256 of file gradereport.cp.

4.3.2.8 `string MungePassword (const string & inPass)` [static]

munges the password to handle capitalization and non-alphanumeric characters

4.3.3 Variable Documentation

4.3.3.1 `const bool kShowData = false` [static]

if set to true, trace information will be returned in the HTML page
Definition at line 58 of file gradereport.cp.


4.4 gradereport.h File Reference

Methods to provide a page with grade report information.


```
#include <MonsterworksCopyright.h>
```

```
#include <string>
```

Include dependency graph for gradereport.h:



This graph shows which files directly or indirectly include this file:



Namespaces

- namespace **gradereporter**

Functions

- `std::string GradeReportPage ()`

4.4.1 Detailed Description

Methods to provide a page with grade report information.

Author

eeyore

Date

2004/10/15 06:12:25

Copyright (c) 2004 eeyore@monsterworks.com This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation version 2.

This program is distributed in the hope that it will be found useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GPL in the documentation or read the source of MonsterworksCopyright.h.

You should have received a copy of the GNU General Public Licence along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston MA 02111-1307 USA.

Definition in file **gradereport.h**.

4.4.2 Function Documentation

4.4.2.1 std::string GradeReportPage ()


Referenced by `main()`.

4.5 histogram.cp File Reference

Methods to handle generation of a histogram based on grade information.

```
#include "histograph.h"  
#include "common.h"  
#include <XCGI.h>  
#include <NForm.h>  
#include <NHTMLWriter.h>  
#include <NWWWCodec.h>  
#include <string>  
#include <vector>  
#include <cstdlib>  
#include <sstream>  
#include <fstream>  
#include <cmath>
```

Include dependency graph for histogram.cp:



Defines

- #define **MW_CGI** monsterworks::cgi
making our code more readable and keeping doxygen informed
- #define **GR** gradereporter
making our code more readable and keeping doxygen informed

Functions

- int **Rank** (int inValue, int inMax)
determines the percentile range into which the value fits
- float **Median** (vector< int > inData, int inStart, int inEnd, bool preSorted=true)
determines the median value of a slice of data
- string **GenerateReply** (const string &inTitle, vector< int > inScores, int inMax)
generates the page given the information
- int **Rank** (int inValue, int inMax)
- float **Median** (vector< int > inData, int inStart, int inEnd, bool inPresorted)
- string **GenerateReply** (const string &inTitle, vector< int > inData, int inMax)

4.5.1 Detailed Description

Methods to handle generation of a histogram based on grade information.

Author

eeyore

Date

2004/10/15 06:12:25

Copyright (c) 2004 eeyore@monsterworks.com This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation version 2.

This program is distributed in the hope that it will be found useful, but WITHOUT ANY WARRANTY; without even the implied warranty of

MECHANABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GPL in the documentation or read the source of MonsterworksCopyright.h.

You should have received a copy of the GNU General Public Licence along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston MA 02111-1307 USA.

Definition in file **histograph.cp**.

4.5.2 Define Documentation

4.5.2.1 `#define GR gradereporter`

making our code more readable and keeping doxygen informed

Definition at line 27 of file `histograph.cp`.

4.5.2.2 `#define MW_CGI monsterworks::cgi`

making our code more readable and keeping doxygen informed

Definition at line 25 of file `histograph.cp`.

4.5.3 Function Documentation

4.5.3.1 `string GenerateReply (const string & inTitle, vector< int > inData, int inMax) [static]`

Returns:

the histogram page as a string

Parameters:

inTitle the title for the page

inData the data to be displayed

inMax maximum possible value for the scores

Definition at line 247 of file `histograph.cp`.

References `Median()`, and `Rank()`.

4.5.3.2 `string GenerateReply (const string & inTitle, vector< int > inScores, int inMax) [static]`

generates the page given the information

4.5.3.3 float Median (vector< int > *inData*, int *inStart*, int *inEnd*, bool *inPresorted*) [static]

Since the data needs to be sorted, and Median may be called multiple times on the same data, presorting the vector and then setting *inPresorted* to true will probably be more efficient than having Median sort the vector everytime it is called.

Returns:

the median value of the data values in the range [*inStart*, *inEnd*)

Parameters:

inData the data to work with

inStart starting position of slice

inEnd ending position of slice (not included in median)

inPresorted if false, we will sort the vector here

Definition at line 221 of file histogram.cp.

Referenced by GenerateReply().

4.5.3.4 float Median (vector< int > *inData*, int *inStart*, int *inEnd*, bool *preSorted* = true) [static]

determines the median value of a slice of data

4.5.3.5 int Rank (int *inValue*, int *inMax*) [static]

Determines the rank of the value.

If the maximum value is under 20, we just return the value (rather than converting to percentages).

If the maximum value is over 20, then we give the percentile ranking:

Percentile Range	Rank
[0,10)	0
[10,20)	1
[20,30)	2
[30,40)	3
[40,50)	4
[50,60)	5
[60,70)	6
[70,80)	7
[80,90)	8
[90,100)	9
[100,infty)	10

Returns:

the rank

Exceptions:

XConfiguration error if *inValue* is below 0

Parameters:

inValue the value to be ranked

inMax the maximum value possible

Definition at line 183 of file histogram.cp.

Referenced by GenerateReply().

4.5.3.6 int Rank (int *inValue*, int *inMax*) [static]

determines the percentile range into which the value fits

4.6 histogram.h File Reference

Methods to handle generation of a histogram based on grade information.


```
#include <MonsterworksCopyright.h>
```

```
#include <string>
```

Include dependency graph for histogram.h:



This graph shows which files directly or indirectly include this file:



Namespaces

- namespace **gradereporter**

Functions

- `std::string HistogramPage ()`

4.6.1 Detailed Description

Methods to handle generation of a histogram based on grade information.

Author

eeyore

Date

2004/10/15 06:13:35

Copyright (c) 2004 eeyore@monsterworks.com This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation version 2.

This program is distributed in the hope that it will be found useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GPL in the documentation or read the source of MonsterworksCopyright.h.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston MA 02111-1307 USA.

Definition in file **histograph.h**.

4.6.2 Function Documentation


4.6.2.1 `std::string HistogramPage ()`

Referenced by `main()`.

4.7 main.cp File Reference

```
#include <NCapture.h>
#include <NEnvironment.h>
#include "gradereport.h"
#include "histograph.h"
#include <string>
#include <iostream>
```

Include dependency graph for main.cp:



Functions

- int **main** (int argc, char *argv[], char *env[])

4.7.1 Function Documentation

4.7.1.1 int main (int argc, char * argv[], char * env[])

Definition at line 18 of file main.cp.

References gradereporter::GradeReportPage(), and gradereporter::HistogramPage().

Index

- common.cp, 7
 - GR, 8
- common.h, 9
 - LineToVector, 10
 - StripDash, 10
- GenerateReply
 - gradereport.cp, 13
 - histograph.cp, 20
- GenerateTable
 - gradereport.cp, 14
- GR
 - common.cp, 8
 - gradereport.cp, 13
 - histograph.cp, 20
- gradereport.cp, 11
 - GenerateReply, 13
 - GenerateTable, 14
 - GR, 13
 - kShowData, 15
 - MungeLogin, 14
 - MungePassword, 14
 - MW_CGI, 13
- gradereport.h, 16
 - GradeReportPage, 17
- gradereporter, 5
 - GradeReportPage, 5
 - HistogramPage, 5
 - LineToVector, 5
 - StripDash, 6
- GradeReportPage
 - gradereport.h, 17
 - gradereporter, 5
- histograph.cp, 18
 - GenerateReply, 20
 - GR, 20
 - Median, 20, 21
 - MW_CGI, 20
 - Rank, 21, 22
- histograph.h, 23
 - HistogramPage, 24
- HistogramPage
 - gradereporter, 5
 - histograph.h, 24
- kShowData
 - gradereport.cp, 15
- LineToVector
 - common.h, 10
 - gradereporter, 5
- main
 - main.cp, 25
- main.cp, 25
 - main, 25
- Median
 - histograph.cp, 20, 21
- MungeLogin
 - gradereport.cp, 14
- MungePassword
 - gradereport.cp, 14
- MW_CGI
 - gradereport.cp, 13
 - histograph.cp, 20
- Rank
 - histograph.cp, 21, 22
- StripDash
 - common.h, 10
 - gradereporter, 6